

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/673,472 09/30/2003		09/30/2003	Remo Corghi	CORGHI16	1534
1444	7590	03/26/2004		EXAMINER	
BROWDY 624 NINTH		EIMARK, P.L.L	HANLEY, JOHN C		
SUITE 300	SIKEEI	, 14 44		ART UNIT	PAPER NUMBER
WASHING	ron, do	20001-5303		2856	

DATE MAILED: 03/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
	10/673,472	CORGHI, REMO	
Office Action Summary	Examiner	Art Unit	
	John C Hanley	2856	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet	with the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period volume to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may within the statutory minimum of the will apply and will expire SIX (6) Motorial to become	a reply be timely filed  nirty (30) days will be considered timely.  DNTHS from the mailing date of this communication.  ABANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on			
2a)☐ This action is <b>FINAL</b> . 2b)⊠ This	action is non-final.		
3) Since this application is in condition for alloward closed in accordance with the practice under E			
Disposition of Claims			
4) ⊠ Claim(s) <u>1-9</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-9</u> is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o			
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on 30 September 2003 is/s  Applicant may not request that any objection to the  Replacement drawing sheet(s) including the correct  11) The oath or declaration is objected to by the Example 11.	are: a) accepted or by drawing(s) be held in abey tion is required if the drawing	ance. See 37 CFR 1.85(a). ng(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burear * See the attached detailed Office action for a list	s have been received. s have been received in rity documents have bee u (PCT Rule 17.2(a)).	Application No en received in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date  U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)  Office Ac	Paper N	v Summary (PTO-413) o(s)/Mail Date f Informal Patent Application (PTO-152) Part of Paper No./Mail Date 20040319	

Application/Control Number: 10/673,472 Page 2

Art Unit: 2856

#### DETAILED ACTION

#### Drawings

- 1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the roller drive means of claim 8 and the gear drive means of claim 9 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.
- 2. The drawings are objected to under 37 CFR 1.83(a) because they fail to show rigid connection of the motor to the frame as described in the specification. If this structure is that shown by the parallel horizontal lines between the numbers 3 and 8 in Figs. 2 and 3, it should be numbered and described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d).
- 3. The drawings are objected to as failing to comply with 37

  CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 81.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### Specification

4. The disclosure is objected to because of the following informalities:
On page 5, line 14, number 81 is not found in the drawings. The word
"tendential" on page 6, lines 1 and 3, is not understood or defined. It is
not in the dictionary.

Appropriate correction is required.

Application/Control Number: 10/673,472

Art Unit: 2856

11.

Claims 1, 2, 3, and 4-9 are objected to because of the following 5. informalities:

Regarding claim 1, "that end emerging from the bed has no antecedent basis; "force transducer means applied between the bed and the shaft" should be "bed and frame; "drive means are rigid with the ... frame" is inaccurate, since the drive belt is flexible.

Page 3

- Regarding claim 2, "belt type" is vague and indefinite.
- Regarding claims 3, and 4-6, "the force transducer means are" implies a 8. plurality of transducer means, which is not necessarily consistent with the antecedent in claim 1, which can be singular. Also in claim 6 "shaft and bed" should be "frame and bed". Note, however, that correcting this would render the claim the same scope as claim 7.
- Regarding claim 8, "roller type" is vague and indefinite, and the axes 9. and the moving assembly has3 no antecedent basis.
- Regarding claim 9, "gearwheel type" is vague and indefinite, and there 10. is no antecedent basis for the axes, drive pinion, and the moving assembly. Appropriate correction is required.

# Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112: The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear,

concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 5 is rejected under 35 U.S.C. 112, first paragraph, as failing to 12. comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly

Art Unit: 2856

connected, to make and/or use the invention. Transducer means "applied at the minimum distance apart compatible with their overall size" is not adequately defined in the specification. There is no relationship between size and distance expressed. Nor can it be inferred what this relationship is. A minimum distance would be actually touching, which is not depicted in the drawings, and this has no relationship or bearing on the size of transducers.

## Claim Rejections - 35 USC § 102

13. The following is a quotation of the appropriate paragraphs of 35
U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 14. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Goebel (US-3922922).
- 15. Regarding claim 1, Goebel shows a balancing machine having a frame 4 suspension mounted on a bed 9 via elastic supports 13, a shaft 1 rotatably supported at two points 2 and 3, the shaft end having means for mounting a wheel 5, drive means 7/8 for rotating the shaft, and force transducer means 10 applied between the bed 9 and shaft/frame 1/4. The drive means are rigid with the frame via bracket 6 attached to the frame. Between the bed 9 and frame 4 are two coplanar leaf springs 13 symmetrical about the shaft axis and positioned in a plane perpendicular to the plane containing the axes of the drive means 7, the shaft 1, and the transducer means 10.
- 16. Regarding claim 2, the drive means of Goebel is of the "belt type", and the two coplanar leaf springs are in the plane perpendicular to the drive belt 8 (see especially the end view of Figure 2).

Application/Control Number: 10/673,472

Art Unit: 2856

## Claim Rejections - 35 USC § 103

Page 5

- 17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 3 and 5-7 are rejected under 35 U.S.C. 103(a) as being 18. unpatentable over Goebel as applied to claim 1 above, and further in view of Gross et al (US-5576490). Goebel shows multiple transducers applied on the same side of the shaft, and show them applied between the bed 9 and the shaft or frame, but they do not all lie in the same plane as the shaft. Gross et al show such a plural transducer arrangement, where the transducers 30 are applied between a bed 32 and the shaft frame 28 of their balancing machine, and both transducers are in the same plane as the axes of the shaft and the drive means. It would have been obvious to one skilled in the art at the time of applicant's invention to modify the positions of the plural transducers of Goebel to lie in the same plane as the axes of the shaft and drive means, as taught in Gross et al, since the transducers of Gross et al are an obvious alternative to measure the same movements of the shaft that Goebel intends to characterize. Regarding claim 5, the spacing between the transducers is obviously adjustable, depending on the length of the shaft frame, etc. One skilled in the art would be able to characterize the imbalance of the shaft via any distance between the transducers.
- 19. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goebel as applied to claim 1 above, and further in view of Rogers et al (US-

Application/Control Number: 10/673,472

Art Unit: 2856

5201224). Goebel lacks a showing of plural transducers on opposite sides of the shaft. Rogers et al, figure 1, shows transducers 19 on opposite sides of the shaft of a balancing machine. It would have been obvious to one skilled in the art at the time of applicant's invention to modify Goebel to have transducers on opposite sides of the shaft, as taught in Rogers, since Rogers' alternative arrangement measures and characterizes the same shaft movement due to imbalance as Goebel does.

- 20. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goebel as applied to claim 1 above, and further in view of Goebel (US-5717138). Goebel ('922), applied to claim 1, lacks a roller drive. Goebel ('138) shows a roller type drive for driving the shaft of a balancing machine. It would have been obvious to one skilled in the art at the time of applicant's invention to substitute the equivalent roller drive of Goebel ('138) for the belt drive of Goebel ('922), since both drive a shaft of a balancing machine.
- Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Goebel as applied to claim 1 above, and further in view of Rothamel (US-5060513). Goebel lacks a gear drive for the shaft. Rothamel, figures 4 and 5 shows a gearwheel type drive for driving the shaft of a balancing machine. It would have been obvious to one skilled in the art at the time of applicant's invention to substitute the equivalent gearwheel type drive of Rothamel for the belt drive of Goebel ('922), since both drive a shaft of a balancing machine. Note that Rothamel also shows essentially everything shown in claim 1 as the reference of Goebel applied to claim 1, except for the plural shaft supports. Rothamel also shows leaf springs coplanar throughout their length.

Application/Control Number: 10/673,472 Page 7

Art Unit: 2856

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Muller shows plural transducers 21 applied to the same side of the shaft 1. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John C Hanley whose telephone number is 571-272-2195. The examiner can normally be reached on M-F 9AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams can be reached on 571-272-2208. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ICH

HEZRON WILLIAMS
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800